

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	. Т	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/509,049	509,049 03/21/2000		JURGEN BRIESKORN	P00.0134	5412
21171	7590	01/30/2004		EXAMINER	
STAAS &		Y LLP	RYMAN, DANIEL J		
SUITE 700 1201 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005				ART UNIT	PAPER NUMBER
			2665	13	
			DATE MAILED: 01/30/2004	DATE MAILED: 01/30/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

· ·							
	Application No.	Applicant(s)					
	09/509,049	BRIESKORN, JURGEN					
Office Action Summary	Examiner	Art Unit					
	Daniel J. Ryman	2665					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR RE THE MAILING DATE OF THIS COMMUNICATIO - Extensions of time may be available under the provisions of 37 CFI after SIX (6) MONTHS from the mailing date of this communication - If the period for reply specified above is less than thirty (30) days, a - If NO period for reply is specified above, the maximum statutory pe - Failure to reply within the set or extended period for reply will, by st - Any reply received by the Office later than three months after the m earned patent term adjustment. See 37 CFR 1.704(b). Status	ON. R 1.136(a). In no event, however, may a reply b n. a reply within the statutory minimum of thirty (30) riod will apply and will expire SIX (6) MONTHS to tatute, cause the application to become ABAND	e timely filed days will be considered timely. from the mailing date of this communication. DNED (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on 0	<u> 2 January 2004</u> .						
2a)⊠ This action is FINAL . 2b)☐ T	his action is non-final.						
3) Since this application is in condition for allo closed in accordance with the practice und	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims	•						
4a) Of the above claim(s) is/are with 5) ☐ Claim(s) is/are allowed. 6) ☑ Claim(s) <u>1-16</u> is/are rejected. 7) ☐ Claim(s) is/are objected to.	☑ Claim(s) <u>1-16</u> is/are rejected.						
Application Papers							
9) The specification is objected to by the Exam 10) The drawing(s) filed on is/are: a) Applicant may not request that any objection to Replacement drawing sheet(s) including the co- 11) The oath or declaration is objected to by the	accepted or b) objected to by the drawing(s) be held in abeyance. rrection is required if the drawing(s) is	See 37 CFR 1.85(a). objected to. See 37 CFR 1.121(d).					
Priority under 35 U.S.C. §§ 119 and 120							
12) Acknowledgment is made of a claim for for a) All b) Some * c) None of: 1. Certified copies of the priority docum 2. Certified copies of the priority docum 3. Copies of the certified copies of the application from the International Bu * See the attached detailed Office action for a 13) Acknowledgment is made of a claim for dom since a specific reference was included in the 37 CFR 1.78. a) The translation of the foreign language 14) Acknowledgment is made of a claim for dom reference was included in the first sentence of	nents have been received. nents have been received in Application (PCT Rule 17.2(a)). I list of the certified copies not receive priority under 35 U.S.C. § 17 e first sentence of the specification provisional application has been nestic priority under 35 U.S.C. §§ 7	cation No eived in this National Stage eived. 19(e) (to a provisional application) n or in an Application Data Sheet. received. 120 and/or 121 since a specific					
Attachment(s)							
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No.) 5) Notice of Inform	nary (PTO-413) Paper No(s) nal Patent Application (PTO-152)					

Art Unit: 2665

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 1/2/2004 have been fully considered but they are not 1. persuasive. On pages 8-9 if the Response, Applicant argues that Thompson does not disclose "'processing in said computer device' that results in 'processed transmission data' for sending to the telecommunication terminal" as is required by claim 1. Applicant states that claim 1 is intended to encompass "off-loading to the computer device processing that would otherwise be performed by the telephone, so that the telephone can be as low cost as possible". Applicant asserts that "there is no suggestion by Thompson of processing in the computer 15 that is conventionally performed by a telephone." In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., using the computer to perform processing that is conventionally performed by a telephone) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993). Applicant seems to have a specific definition for the term "processing" used in claim 1. As broadly interpreted, the term "processing" only requires that the data is handled using a set of routines. Thus, as broadly defined, the determination of whether to forward of act on the data requires processing where the data upon which the process is performed is "processed data". If Applicant desires a specific definition for the term "processing", then the claims should be amended to include this definition.

Page 2

Art Unit: 2665

2. On page 9 of the Response, Applicant additionally argues that "the differences between the USB bus 17 in Thompson and the GCI bus 120 in the phone taught by Jackson is irrelevant to the benefits provided by the present invention...Furthermore, the differences in bus speeds are not what distinguishes the present invention over the prior art. Rather, it is the off-loading of the telephone processing to the computer that distinguishes the present invention." While the differences between the USB bus and the CGI bus may be irrelevant to the benefits provided by the present invention, Examiner notes that claim 1 contains the limitation "a second bus system having a smaller bandwidth than said first bus system that connects the individual internal assemblies of said telecommunication terminal apparatus". Since this limitation appears in the claim, the Examiner must address this limitation regardless of whether or not the limitation is relevant or irrelevant to the benefits of the present invention. Since Applicant feels that the off-loading of the telephone processing to the computer is what distinguishes the present invention, Examiner suggests Applicant add further limitations to the claims to more clearly distinguish these features in the claimed invention.

Page 3

Applicant further argues on page 9, with respect to claims 3-5, 7, 10, and 13, that Davis, Hofer, and Mueller "contain no suggestion of modifying Thompson and Jackson to overcome the deficiencies discussed [with regards to claims 1, 6, 8, 9, 12, 14, and 15]". For the aforementioned reasons, Examiner maintains that Thompson and Jackson do not contain deficiencies with regards to claims 1, 6, 8, 9, 12, 14, and 15. As such there is no need for Davis, Hofer, and Mueller to remedy the deficiencies in claims 1, 6, 8, 9, 12, 14, and 15. Therefore Examiner maintains the rejections of claims 3-5, 7, 10, and 13.

Application/Control Number: 09/509,049 Page 4

Art Unit: 2665

4. On page 9 of the Response, with respect to claim 2, Applicant argues that Yeh does not overcome the deficiencies discussed with regards to claims 1, 6, 8, 9, 12, 14, and 15. For the aforementioned reasons, Examiner maintains that Thompson and Jackson do not contain deficiencies with regards to claims 1, 6, 8, 9, 12, 14, and 15. As such there is no need for Davis, Hofer, and Mueller to remedy the deficiencies in claims 1, 6, 8, 9, 12, 14, and 15. Therefore Examiner maintains the rejections of claim 2.

- On page 10 of the Response, with regards to claims 11 and 16, Applicant argues that Riemann does not overcome the deficiencies discussed with regards to claims 1, 6, 8, 9, 12, 14, and 15. For the aforementioned reasons, Examiner maintains that Thompson and Jackson do not contain deficiencies with regards to claims 1, 6, 8, 9, 12, 14, and 15. As such there is no need for Davis, Hofer, and Mueller to remedy the deficiencies in claims 1, 6, 8, 9, 12, 14, and 15.

 Therefore Examiner maintains the rejections of claims 11 and 16.
- 6. Given a broad interpretation of the claims, Examiner maintains the rejections of claims 1-16 under 35 USC § 103. Again, Examiner suggests that Applicant add limitations to the claims to further distinguish the claims from the prior art. If Applicant has any further questions or concerns regarding this Office Action, Examiner invites Applicant to initiate an interview with Examiner.

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Page 5

Application/Control Number: 09/509,049

Art Unit: 2665

8. Claims 1, 6, 8, 9, 12, 14, and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (USPN 6,091,803) in view of Jackson et al (USPN 5,287,352).

Regarding claims 1 and 14, Thompson discloses a method and system for transmitting 9. data in a communication system having the elements of a telecommunication terminal apparatus (ref. 7), a computer device (ref. 15), and a switch (ref. 9), wherein said elements are connectable to a public telephone network (ref. 11) (col. 2, lines 18-43 and col. 3, lines 23-63), comprising the steps of and means for: connecting said computer device to said telecommunication terminal apparatus via a first bus system (ref. 17 and col. 3, lines 23-63); a system, within the telecommunication apparatus for relaying signals incoming from the switch to the first bus system and vice versa (col. 3, lines 23-63 and col. 4, line 57-col. 5, line 3); connecting said telecommunication terminal apparatus to said switch via an interface (col. 3, lines 23-63 and col. 4, lines 8-29); receiving reception data by said telecommunication terminal apparatus from said switch (col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20); transmitting the reception data by said telecommunication terminal apparatus operating in a first operating mode to said first bus system, and forwarding the reception data via said first bus system to said computer device (col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20); processing, by a processor of said computer device, the reception data received by said computer device from said telecommunication terminal apparatus (col. 5, lines 12-20) where it is implicit that the determination of whether to forward or act on the data requires processing; forwarding, by said computer device, to said telecommunication terminal apparatus, processed reception data via said first bus system (col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20, esp. col. 5, lines 12-20); outputting the processed reception data by said telecommunication terminal apparatus (col. 2, lines 24-32 and col. 6, lines Art Unit: 2665

6-9); producing transmission data by said telecommunication terminal apparatus (col. 2, lines 24-32; col. 3, lines 23-63; and col. 4, line 44-col. 5, line 20) where it is implicit that the phone produces transmission data; forwarding the transmission data by said telecommunication terminal apparatus operating in the first operating mode to said computer device via said first bus system (col. 2, lines 24-32; col. 3, lines 23-63; and col. 4, line 44-col. 5, line 20); processing, by said processor of said computer device, the transmission data received by said computer device (col. 2, lines 24-32; col. 3, lines 23-63; and col. 4, line 44-col. 5, line 20, esp. col. 5, lines 12-20) where it is implicit that the determination of whether to forward or act on the data requires processing; and transmitting, by said computer device, to said telecommunication terminal apparatus, processed transmission data via said first bus system (col. 2, lines 24-32; col. 3, lines 23-63; col. 4, line 44-col. 5, line 20; and col. 6, lines 6-9); and transmitting, by said telecommunication terminal apparatus to said interface for forwarding to said switch (col. 2, lines 24-32; col. 3, lines 23-63; and col. 4, line 44-col. 5, line 20). Thompson does not expressly disclose that a second bus system, which has a smaller bandwidth than said first bus system, connects individual internal assemblies of said telecommunication terminal apparatus. Jackson discloses, in system using a digital telephone, that it is well known in the art to have an internal bus in order to distribute information arriving at the telephone to the telephone's various components (col. 1, lines 41-52). It would have been obvious to one of ordinary skill in the art at the time of the invention to have a second bus system that is utilized for the connection of individual internal assemblies of said telecommunication terminal apparatus in order to distribute information arriving at the telephone to the telephone's various components. Thompson further discloses that the first bus system is a USB system, where Examiner takes official notice that

Art Unit: 2665

USB systems are capable of transmitting up to 12 Mbps. Jackson discloses that the second bus system is a GCI bus, where Examiner takes official notice that GCI systems are capable of transmitting of up to 8.192 Mbps. Therefore the second bus system has a smaller bandwidth than the first bus system.

Page 7

- 10. Regarding claim 6, referring to claim 1, Thompson in view of Jackson discloses that the switch is a private branch exchange (PABX) (Thompson: col. 4, lines 25-29).
- 11. Regarding claim 8, referring to claim 6, Thompson in view of Jackson discloses that the telecommunication terminal apparatus has a second operating mode, in which it is controlled in a conventional manner by said private branch exchange, and which allows operation independent of said computer device (Thompson: col. 2, lines 23-43 and col. 3, lines 49-63).
- 12. Regarding claim 9, referring to claim 1, Thompson in view of Jackson discloses that the telecommunication terminal apparatus is a telephone (Thompson: col. 2, lines 18-32).
- Regarding claim 12, referring to claim 1, Thompson in view of Jackson discloses that the switch corresponds to the ISDN standard (Thompson: col. 3, lines 23-32 and col. 5, line 56-col. 6, line 3).
- Regarding claim 15, referring to claim 14, Thompson in view of Jackson discloses sending the reception data received by said switch and the transmission data produced by said telecommunication terminal apparatus to said computer device via said telecommunication terminal apparatus (Thompson: col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20), wherein the reception and transmission data received by said computer device represents spoken words (Thompson: col. 3, lines 29-31); intermediately storing the reception and transmission data received by said computer device in a transmission data store of said computer device, wherein

Art Unit: 2665

said computer device further comprises a program that enables simulation of a telephone answering device (Thompson: col. 5, lines 50-55), and wherein said transmission data store enables repeated time-displace forwarding of the reception and transmission data representing spoken words to said switch via said telecommunication terminal apparatus (Thompson: col. 5, lines 50-55); and forwarding the reception and transmission data received by said computer device, by said computer device, in a time-displaced fashion via said telecommunication terminal apparatus (Thompson: col. 5, lines 50-55).

Page 8

- Claim 2 is rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (USPN 15. 6,091,803) in view of Jackson et al (USPN 5,287,352) as applied to claim 1 above, and further in view of Yeh et al (USPN 6,366,653).
- Regarding claim 2, referring to claim 1, Thompson in view of Jackson does not expressly 16. disclose that the processor encodes the transmission data produced by said telecommunication terminal apparatus, and decodes the reception data received from said switch. Yeh teaches, in a system for integrating a telephone to a computer, that the computer (processor) encodes the incoming signals and decodes the outgoing signals in order to configure the information in a format which is recognized by the computer (decode received data) and then places the data back into a format recognized by the telephone network once processing is complete (encode transmitted data) (col. 5, lines 9-24). It would have been obvious to one of ordinary skill in the art at the time of the invention to have the processor encode the transmission data produced by the telecommunication terminal apparatus and decode the reception data received from the switch in order to configure the information in a format which is recognized by the computer and

Page 9

Application/Control Number: 09/509,049

Art Unit: 2665

then place the data back into a format recognized by the telephone network once processing is complete.

- 17. Claims 3, 5, 10, and 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (USPN 6,091,803) in view of Jackson et al (USPN 5,287,352) as applied to claim 1 above, and further in view of Davis et al (USPN 5,483,530).
- 18. Regarding claim 3, referring to claim 1, Thompson in view of Jackson discloses that the first bus system is implemented utilizing a USB bus (Thompson: col. 3, lines 23-38); and all data of second bus are transmitted via said first bus system (Thompson: col. 4, line 60-col. 5, line 63). Thompson in view of Jackson possibly does not expressly disclose that the second bus system is implemented utilizing an IOM-2 multiplexer. Davis discloses, in a system for communicating with digital and analog devices over a single digital interface, that IOM-2 is a time division multiplex interface which multiplexes the B channel and D channel and control information into a single serial interface (col. 12, lines 1-9). It would have been obvious to one of ordinary skill in the art at the time of the invention to have the second bus be implemented utilizing an IOM-2 multiplexer since an IOM-2 multiplexer multiplexes the B channel and D channel and control information into a single serial interface.
- 19. Regarding claim 5, referring to claim 3, Thompson in view of Jackson in further view of Davis discloses that the IOM-2 multiplexer comprises: B channels, that the telecommunication terminal apparatus reroutes the reception and transmission data only between said interface and the B channels (Thompson: col. 4, line 60-col. 5, line 63 and Davis: col. 12, lines 1-9).
- 20. Regarding claim 10, referring to claim 3, Thompson in view of Jackson in further view of Davis discloses that the computer device has a program that enables simulation of a telephone

Art Unit: 2665

answering device (Thompson: col. 5, lines 50-55); said transmission data represent spoken text (Thompson: col. 3, lines 29-31); said computer device further comprises a transmission data store (computer disk drive or DSP) which enables repeated time-displaced forwarding of said spoken text to said switch via said telecommunication terminal apparatus (Thompson: col. 5, lines 50-55); said reception data which represent messages from callers that are sent by said switch to said computer device via said telecommunication terminal apparatus, that are intermediately stored in said computer device, and that are forwarded in a time-displaced fashion via said telecommunication terminal apparatus, as reception data (Thompson: col. 5, lines 50-55).

- 21. Regarding claim 13, referring to claim 3, Thompson in view of Jackson in further view of Davis discloses that items of control information comprise items of information produced during a pressing of particular keys of said telecommunication terminal apparatus (Thompson: col. 4, lines 30-56; esp. col. 4, lines 54-56).
- Claims 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (USPN 6,091,803) in view of Jackson et al (USPN 5,287,352) in further view of Davis et al (USPN 5,483,530) as applied to claim 3 above, and further in view of Hofer ("The IOM2 Serial Bus Interface for the Interconnection of ISDN ICs", Electronic Engineering, June (1990) Vol. 62, No. 762, pages 69, 70, 72, 74, and 76).
- 23. Regarding claim 4, referring to claim 3, Thompson in view of Jackson in further view of Davis suggests that the IOM-2 multiplexer comprises: a CTRL channel (bus 17B and control information) via which said computer device controls said telecommunication terminal apparatus in said first operating mode (Thompson: col. 3, lines 29-45; col. 4, line 60-col. 5, line 63 and

Art Unit: 2665

Davis: col. 12, lines 1-9); a D* channel (D channel), via which said computer device receives items of control information from said the telecommunication terminal apparatus (Thompson: col. 4, line 60-col. 5, line 63, esp. col. 5, lines 12-20 and Davis: col. 12, lines 1-9) where a D channel is broadly equivalent to a D* channel; and B channels via which said computer device and said telecommunication terminal apparatus exchange data (Thompson: col. 4, line 60-col. 5, line 63 and Davis: col. 12, lines 1-9). Thompson in view of Jackson in further view of Davis possibly does not expressly disclose having the IOM-2 multiplexer multiplex IC channels. Hofer discloses that the IOM-2 multiplexer can be used to interconnect ISDN ICs in order to permit the interconnection of ICs within the system where ICs are used to transfer data within a terminal (pg. 70, col. 1, section titled "Terminal Structure"). It would have been obvious to one of ordinary skill in the art at the time of the invention to have the IOM-2 multiplexer multiplex IC channels in order to permit data transfers within system.

- 24. Claim 7 is rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (USPN 6,091,803) in view of Jackson et al (USPN 5,287,352) as applied to claim 6 above, and further in view of Mueller (USPN 5,453,984).
- 25. Regarding claim 7, referring to claim 6, Thompson in view of Jackson discloses that the interface is a U interface (Thompson: col. 6, lines 15-19 and lines 61-64). Thompson in view of Jackson possibly does not expressly disclose that the U interface is an U_{p0/E} interface. Mueller discloses that U-interfaces are manufacturer specific, which are adapted to the particular type of equipment in use in the communication system (col. 2, lines 62-67). It would have been obvious to one of ordinary skill in the art at the time of the invention to use a particular type of U-interface according to the equipment used in the communication system.

Application/Control Number: 09/509,049 Page 12

Art Unit: 2665

Claims 11 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Thompson (USPN 6,091,803) in view of Jackson et al (USPN 5,287,352) as applied to claims 1 and 14 above, and further in view of Riemann et al (USPN 5,892,764).

27. Regarding claims 11 and 16, referring to claims 1 and 14, Thompson in view of Jackson discloses that the system can be used for a variety of functions that can be implemented in the computer (col. 5, line 63-col. 6, line 3). Thompson in view of Jackson does not expressly disclose obtaining the reception data by said computer device from said switch via said telecommunication terminal apparatus, wherein said computer device further comprises a video conferencing mechanism; dividing, by said computer device, the reception data into received image data and received speech data; displaying, by said computer device, the received image data on a display screen of said computer device; sending, by said computer device, the received speech data back to said telecommunication terminal apparatus; transmitting the input speech data originating from a microphone of said telecommunication terminal apparatus to said computer device via said first bus system; assembling, by said computer device, transmission data from the input speech data and the input image data; and transmitting said transmission data to said switch via said telecommunication terminal apparatus. Riemann teaches, in an integrated telephone and computer system, where each computer processes telephony data from its attached telephone (col. 2, lines 52-65), having conferencing available where the computer receives various media streams over its connection with the switch (col. 2, lines 52-65; col. 4, line 65-col. 5, line 5; col. 5, lines 18-28; and col. 6, lines 27-39). It is implicit that for conferencing, each local computer will combine the telephony data with related data to form a single data stream which is sent to the switch. Examiner also takes official notice that video conferencing is very

Art Unit: 2665

well known in the art. It would have been obvious to one of ordinary skill in the art at the time of the invention to implement video conferencing in a system where a computer and telephone are interfaced in order to allow the system's users access to video conferencing. Thus, Thompson in view of Jacksonin further view of Riemann discloses obtaining the reception data by said computer device from said switch via said telecommunication terminal apparatus (Thompson: col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20), wherein said computer device further comprises a video conferencing mechanism (Riemann: col. 2, lines 52-65; col. 4, line 65-col. 5, line 5; col. 5, lines 18-28; and col. 6, lines 27-39); dividing, by said computer device, the reception data into received image data and received speech data (Thompson: col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20 and Riemann: col. 2, lines 52-65; col. 4, line 65-col. 5, line 5; col. 5, lines 18-28; and col. 6, lines 27-39); displaying, by said computer device, the received image data on a display screen of said computer device (Riemann: col. 2, lines 52-65; col. 4, line 65-col. 5, line 5; col. 5, lines 18-28; and col. 6, lines 27-39) where Examiner takes official notice that displaying data on a computer during a video conference is well known; sending, by said computer device, the received speech data back to said telecommunication terminal apparatus (Thompson: col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20 and Riemann: col. 2, lines 52-65; col. 4, line 65-col. 5, line 5; col. 5, lines 18-28; and col. 6, lines 27-39); transmitting the input speech data originating from a microphone of said telecommunication terminal apparatus to said computer device via said first bus system (Thompson: col. 3, lines 23-63 and col. 4, line 44-col. 5, line 20 and Riemann; col. 2, lines 52-65; col. 4, line 65-col. 5, line 5; col. 5, lines 18-28; and col. 6, lines 27-39); assembling, by said computer device, transmission data from the input speech data and the input image data; and transmitting said transmission data to said switch via

Art Unit: 2665

said telecommunication terminal apparatus (Riemann: col. 2, lines 52-65; col. 4, line 65-col. 5, line 5; col. 5, lines 18-28; and col. 6, lines 27-39).

Conclusion

- 28. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Peres et al (USPN 5,867,496) see col. 3, lines 58-66 which pertains to a GCI interface. Ahuja et al (USPN 5,689,553) see Fig. 6 and col. 10, line 34-col. 11, line 40 which discloses video conferencing.
- 29. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Daniel J. Ryman whose telephone number is (703)305-6970. The examiner can normally be reached on Mon.-Fri. 7:00-5:00 with every other Friday off.

Art Unit: 2665

Page 15

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy Vu can be reached on (703)308-6602. The fax phone number for the organization where this application or proceeding is assigned is (703)308-6743.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3900.

Daniel J. Ryman Examiner Art Unit 2665

DJIS

Daniel J. Ryman

HUY D. VU SUPERVIS DRY PATENT EXAMINER

TECHNOLOGY CENTER 2600